



Amendments to the Claims

This listing of claims will replace all prior listings of claims in the application.

Listing of Claims

1-13. (Cancelled)

14. (Currently amended) A system to allow an operator to control a plurality of medical devices during an endoscopic medical procedure, the system comprising:

a foot-operated control console for controlling the plurality of medical devices, the foot-operated control console comprising:

a plurality of controls for operation by a foot of the operator, the plurality of controls including a selection control ~~to allow the operator to select for~~ selecting a medical device to be controlled from among the plurality of medical devices and a separate device control for manually actuating and operating the selected device; and

a wireless transmitter ~~to transmit for~~ transmitting over a wireless medium a selection signal responsive to operation of the selection control and for transmitting a separate device control signal responsive to operation of the device control.

15. (Currently amended) A system as recited in claim 14, the system further comprising a receiver unit separate from the control console, the receiver unit comprising:

a wireless receiver for receiving the selection signal and the separate device control signal via the wireless medium; and

a data communication device in communication with

the plurality of medical devices for transmitting a selected device operating signal compatible with the selected medical device to the selected medical device ~~over a wired communication medium~~, wherein the selected device operating signal is based on the control signal and the selection signal.

16. (Previously presented) A system as recited in claim 14, wherein the foot-operated control console further includes:

a battery sealed within the foot-operated control console for powering the foot-operated control console;

an induction element; and

a charging circuit to control charging of the battery by power electromagnetically induced in the induction element,

wherein the wireless transmitter comprises an RF transmitter and the wireless receiver comprises an RF receiver.

17. (Previously presented) A system as recited in claim 16, wherein the system further comprises a charging station including:

a receptacle to receive the foot-operated control console; and

an induction coil coupled to a power supply for charging the battery in the foot-operated control console inductively when the foot-operated control console is disposed in the receptacle.

18. (Original) A system as recited in claim 17, wherein the system further comprises a docking station that includes a receptacle to physically couple to the foot-operated control console.

19. (Previously presented) A system as recited in claim 18, wherein the charging station is an element of the docking

station and the receiver unit is contained within the docking station.

20. (Currently amended) A system as recited in claim 15, wherein the foot-operated control console comprises one of a plurality of foot-operated control consoles, wherein each said control console includes a unique console identifier to permit the data communication device ~~controller~~ to identify each said control console to prevent unauthorized control consoles from operating the medical devices.

21. (Previously presented) A system as recited in claim 18, wherein the wireless medium comprises a short-range radio frequency and at least one of the plurality of medical devices comprises a cutting tool.

22. (Previously presented) A system as recited in claim 15, wherein the foot-operated control console includes a removable battery to power the foot-operated control console; and

wherein the system further comprises a charger to receive and charge the battery when the battery is removed from the foot-operated control console.

23. (Currently amended) A system as recited in claim 14, wherein the device control comprises a foot pedal for providing the device control signal and the selection control comprises a selection control foot switch, and wherein the control console does not have knowledge of the medical device selected by the selection control foot switch.

24. (Currently amended) A system as recited in claim 14, wherein the plurality of controls includes a plurality of foot pedals and a plurality of foot switches, wherein each of said foot pedals is capable of controlling different ones of said medical devices, and wherein the selection control, after

selecting the medical device to be controlled, is configured to be repeatedly actuated to select a function for the selected medical device.

25. (Currently amended) A system as recited in claim 15, wherein the wireless transmitter of the control console is configured to transmit an apparatus identifier in association with the selection signal, the apparatus identifier for associating the foot-operated control console at the receiver unit.

26. (Previously presented) A system as recited in claim 14, wherein the foot-operated control console further comprises a housing to contain the wireless transmitter, the housing having an attachment to allow a suction hose to be attached to the housing.

27. (Currently amended) An apparatus for controlling a plurality of medical devices during an endoscopic medical procedure, the apparatus comprising:

a housing designed to be situated on a floor surface of an area in which the endoscopic medical procedure is performed during the medical procedure;

a plurality of controls within the housing, designed to be operated by a foot of the operator to control the plurality of medical devices, the plurality of controls including a plurality of foot pedals and a plurality of foot switches, the plurality of foot switches including a selection switch for selecting~~changing~~ a medical device to be controlled from among the plurality of medical devices;

a wireless transmitter within the housing, to transmit over a wireless medium a device selection signal to cause a remote receiver unit to ~~select~~change the device to be controlled and to transmit device control signals to cause the remote receiver unit to control the selected medical device in response to operation of the controls; ~~and~~

a transmitter controller within the housing, to control the wireless transmitter in response to operation of the controls, and to cause the wireless transmitter to transmit an apparatus identifier in association with each of the selection control and the device control signals, the apparatus identifier for uniquely associating the apparatus with the remote receiver unit; and

a battery within the housing for powering the foot-operated control console.

28. (Cancelled)

29. (Currently amended) An apparatus as recited in claim 27, wherein the remote receiver unit comprises:

a wireless receiver to receive the device selection signal and the device control signals via the wireless medium, the device selection and the device control signals being a first plurality of control signals;

a data communication device to transmit a second plurality of control signals based on the first plurality of control signals, to the selected medical device over a ~~wireless~~ communication medium; and

a controller to control the data communication device in response to the first plurality of control signals, including generating the second plurality of control signals ~~based on~~ by translating the first plurality of control signals so that into the second plurality of control signals are having a format and protocol that is compatible with the selected medical device.

30. (Previously presented) An apparatus as recited in claim 27, wherein the housing has an attachment for attaching a suction hose to the housing.

31. (Currently amended) A system for controlling a plurality of medical devices during an endoscopic medical procedure, the system comprising:

a plurality of medical devices for use in an endoscopic medical procedure;

a wireless foot-operated control console including at least one selection control switch for manually ~~selecting~~changing the medical device to be controlled and at least one control pedal for manually controlling the selected medical device, the foot-operated control console including a wireless transmitter for wirelessly transmitting a medical device selection signal provided by the selection control switch and for wirelessly transmitting medical device control signals provided by the control pedal; and

~~an apparatus~~a remote receiver unit for controlling ~~the~~ plurality of medical devices ~~during an endoscopic medical procedure, the apparatus~~ comprising:

a wireless receiver for receiving the wireless device selection signal and the medical device control signals from said control console, ~~the receiver determining the selected medical device from the device selection signal, the receiver~~ including;

a controller for translating the device selection signal and the medical device control signals received from the wireless receiver into command signals having a format and protocol that are appropriate for the selected medical device; and

a data communication device in communication with the plurality of medical devices to receive the command signals from the controller and to provide the command ~~operating control signals to the selected medical device in response to the medical device control signals.~~

32. (Currently amended) A system according to claim 31, wherein the ~~receiver~~data communication device is connected to the medical devices over a wired communication medium, and the

wireless transmitter comprises an RF transmitter and the wireless receiver comprises an RF receiver.

33. (Currently amended) A system according to claim 31, wherein the ~~receiver~~data communication device is connected to the medical devices over a wireless communication medium.

34. (Previously presented) A system according to claim 31, wherein the at least one selection control switch comprises one of a plurality of said selection control switches and the at least one control pedal comprises one of a plurality of said control pedals.

35. (Previously presented) A system according to claim 34, wherein said plurality of medical devices comprises at least one of an electrocautery tool, a light source and a camera control unit.

36. (Currently amended) A system according to claim 31, wherein said at least one control pedal comprises a variable displacement foot control for controlling at least one of speed variations, intensity variations, and variable settings for one of the medical devices.

37. (Currently amended) A system according to claim 31, wherein said selection control switch for selecting ~~athe~~a medical device is pressed repeatedly to cycle among ~~thea~~the plurality of ~~said~~functions for the selected medical ~~devices~~device.

38. (Previously presented) A system according to claim 34, wherein said plurality of control pedals enable simultaneous control of first and second ones of said medical devices.

39. (Previously presented) A system according to claim 27, wherein said battery comprises a rechargeable battery, said apparatus further comprising:

an induction coil within the housing; and

a charging circuit within the housing and coupled to the battery and the induction coil, said charging circuit being configured to charge the battery with power induced in the induction coil by a power source outside of the housing.

40. (Currently amended) A system for manually controlling a plurality of medical devices during an endoscopic medical procedure comprising:

a plurality of medical devices; ~~and~~

a foot-operated control console comprising:

a housing;

a plurality of controls including at least two switches for operation by a foot of an operator, the plurality of controls including a selection control for manual selection of a medical device to be controlled and a separate device control for manually operating the selected medical device;

a controller disposed in said housing for receiving inputs from said plurality of controls;

a wireless transmitter disposed in said housing for receiving outputs from said controller and transmitting said outputs as a selection control signal for manual selection of a medical device and a device control signal for controlling the selected medical device;

a battery for providing power to said controller and said wireless transmitter; and

a wireless receiver disposed in said housing for receiving wireless signals from another device and providing the wireless signals to said controller;



a receiver unit separate from the foot-operated control console for receiving the selection control signal and the device control signal from the wireless transmitter, the receiver unit providing the device control signal as a wireless signal to the selected medical device for control thereof, the receiver unit further comprising a sync button and indicators for indicating the selected one of said plurality of medical devices, wherein simultaneous actuation of said sync button and said at least two switches synchronizes said foot-operated control console with said receiver unit.

41-45. (Cancelled)

46. (Currently amended) A system according to claim ~~41~~40, wherein the console has a unique console identifier so that the receiver unit is capable of identifying more than the one said control console.

47. (Previously presented) A system according to claim 40, wherein the wireless transmitter and the wireless receiver of the foot-operated control console comprise a transceiver.

48. (Cancelled)

49. (Currently amended) A system according to claim ~~41~~40, wherein said receiver for receiving wireless signals from another device receives information for modifying parameters or settings of the foot-operated control console from a transmitter unit disposed in the receiver unit that is separate from the foot-operated control console.

50. (New) A system according to Claim 31, wherein the at least one control pedal for manually controlling the

selected medical device is configured to actuate and control the selected medical device.